

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIG. 1




FIG. 2A FIG. 2B




FIG. 3A




FIG. 3B




FIG. 4A




FIG. 4B

Plasma spray, Physical Vapor Deposition, etc.




FIG. 5




FIG. 6A




FIG. 6B

Impedance Plot for Solid-State Cell:
Li | LiPON | Cu




FIG. 7A

Impedance Plot for Solid-State Cell: Li | Cu₃N | LiPON | Cu
LiPON surface is protected with in situ formed Li₃N




FIG. 7B

**Impedance Plot for Solid-State Cell:
Li | OHARA plate | Au**




FIG. 8A

**Impedance Plot for Solid-State Cell:
Li | Cu₃N | OHARA plate | Au**




FIG. 8B

**Impedance Plot for Cells Having Unprotected
and Cu_3N -protected OHARA Material**




FIG. 8C

Cyclic Voltammetry for Solid State Cell:
Li | Cu₃N | OHARA plate | Au




FIG. 8D